

ROELEN
Lighting ●●●



Round 3 watt chrom

IP44 with cable and mini connector
to be connected with 350mA transformer
chrom brillant
diameter 65 mm , thickness 10 mm

09991

Transformer 350 mA 6 watt , 2 exit

09992

ROELEN
Lighting ●●●



Evans 10 watt 1 feet

IP44 10 watt with cable and mini connection , for 10 watt transformer ,
chrom brillant 300 mm width , 1 feet

09993 normal white

09994 warm white

Transformer 10 watt with 1 exit

09995



Evans 10 watt 2 feet


IP44 10 watt with cable and mini connection , for 10 watt transformer,
chrom brillant 300 mm width , 2 feet

09996 normal white

Transformer 10 watt with 1 exit

09995

Roelens Lighting 0032 3 771 09 90 www.roelens.com



ROELEN
Lighting ●●●

Jordano 3 watt

IP44 3 watt , with 1 m cable and mini connection , chrom brillant , thickness 10 mm

09997 warm white

Transformer 15 watt 350 mA , 6 way exit

09998



Rectangular LED 16 led

250 x 50 mm, warm white , with 1 m cable and mini connection , 12V

09999 warm white

ROELEN
Lighting ●●●



Flexible oval

with switch on the lamp , 12 V , 1 m cable and mini connection , flexible arm 15 cm , 14 LED

09191

can be used with 12 V transformers



Flexible round

with touch switch on top of the lamp, 12 V , 1 m cable and mini connection

09192

can be used with 12 V transformers

Roelens Lighting 0032 3 771 09 90 www.roelens.com